

Akuvox V6.3 SmartPlus User Guide - Community Management

Updated on 22 Mar 2022

Akuvox
Open A Smart World

Smart Intercom



AKUVOX SMARTPLUS USER GUIDE

Installer



About This Manual

Thank you for reading this manual. This manual is intended for the installers who need to properly manage the Akuvox SmartPlus platform for integrated management of the community, office, building, apartment, residents, office staff and people, devices, and remote maintenance service, etc. This manual applies to SmartPlus platform version: V6.3. Please visit <http://www.akuvox.com/> (<http://www.akuvox.com/>) or consult our technical support for any new information or the latest software version.

Introduction of Icons and Symbols

Warning:

- **Always abide by this information in order to prevent the person from injury.**

Caution:

- **Always abide by this information in order to prevent damages to the device.**

Note:

- **Informative information and advice for the efficient use of the device.**

Related Documentation

You  advised to refer to the related documents for more technical information. The icons below:

1. System Overview

Akuvox SmartPlus is a cloud-based platform on which installer can conduct integrated management of building, apartment, office, residents, office staff and personnel, devices, relays for community scenario and office scenario, as well as the remote maintenance service for all the devices deployed in the two scenarios.

- **Installers using this platform will be able to:**

- Add, edit, and delete the community, office, building, apartment, device, residents, staff and personnel.
- Deploy and set up devices and relays for the access control.
- Check and upgrade device firmware.
- Check and manage MAC library.
- Conduct remote operations such as Autop provisioning, device reboot, transmission type modification, and remote maintenance.
- Download the related technical manual and get access to the Akuvox ticket system for technical support.
- Subscribe and renew Akuvox SmartPlus.

2. Login in to SmartPlus

You can log in SmartPlus platform using the user account information you obtain from your distributor.

1. Open the web browser and enter the address (URL) of the SmartPlus server location in your area, and press **Enter**.
2. Enter your username and password.
3. Click on **Login** to log in to the SmartPlus platform.



Login



- You can click on **Log out** if you want to log out of the SmartPlus platform.

Akuvox

Role:Single-tenant Manager RyanChen Log out

User
Device
Firmware
Update
Message

Name	SIP	Room	Email	Mobile Number	Address	Family Member	Active	Landline Status	Created Time	Landline Expiration Time	Action
Ryan	Family:5926000001 Personal:5926100003	--	--	--	--	1	Normal	Off	2021-08-03 18:47:19	--	

Lines per page 10 < 1 > Go to 1 Go 1 In All


3. Prior to the Management

It is advised that you go through what are listed below before you start your management. and the list below is applicable to both community user management and office user management.

- Check if all of device MAC addresses have already been registered by your distributor.
- Check if the firmware in your devices supports cloud mode with no connection to SDMC.
- Check if your device is powered on and is connected to the internet and make sure that the network is normal.
-  k and make sure that your resident information and device information are correct.

4. Main Interface

The main interface mainly consists of seven modules that are incorporated as a whole to allow you to manage the building, apartment, office, devices, residents, access control, office staff and personnel in both community buildings and office buildings.



- **Module Description:**



No.	Modules	Description
1	Dashboard	Allows you to manage community, office, building, apartment, resident, office staff, personnel, device and property manager.
2	- Residents and Device - People and Device	Allows you to manage building, apartment, devices, residents, access control, office staff and people in both community and office.
3	Firmware	Allows you to check device firmware information.
4	Update	Allows you to update the firmware version for the specific device.
5	MAC Library	Allows you to register the MAC in the MAC library.
6	Subscriptions	Allows you to activate the Akuvox SmartPlus service for the resident by paying the activation fees and renewing the fees, etc.
7	Payments	Allows you to check for the information related to transactions made.

5. Community/Office Management

5.1. Community Scenario

5.1.1. Create Community

A community must be created first on the dashboard before you can proceed to the other management involving devices, residents, etc.

1. On the upper left corner of the dashboard, select **Community**.

2.  **+ New Community** on the dashboard.

Community
Office

5 Community(ies)



+ New Community
Download The Template

Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	   
Akurvox-	0	0	inn lian	   
New_Com	0	0	--	   
Community-C	0	0	--	   
Ryan	0	0	Ryan Chen	   

3. Set up a community by filling in the related community information.

4. Select your feature plan.



New Community



Please upgrade doorphone to the latest version otherwise it may affect some features.

Number of apartments

Landline Service

☒ On ☐ Off

Landline Service is a premium feature.

Home AutoMation Service

☐ On ☒ Off

* Feature Plan

[Read Instructions](#)

☒ Basic ☐ Premium ☐ 1Monitor_All

* Community Name

* Address

Note:



you select feature plan-Basic, the template must contain indoor monitor MAC address.

- **Community Setting Description**



No.	Settings	Description
1	Number of apartments	Enter the number of apartments in the community.
2	Landline Service	Switch on/off the landline service (Communication between telephone/mobile phone and intercom devices. Landline service is a premium feature in the feature plan.
3	Home Automation	Turn it for the users who installed X933H and C319 Indoor monitor for the home automation service.



4	Feature Plan	Select basic or premium features for the community. • Basic feature: this feature does not allow community property managers to enable or disable the PIN code and QR code access method, neither are they allowed to control family member account creation by the end user and package notification service (available in R29 only). Moreover, residents are required to install one indoor monitor in their apartments. • Premium feature: this feature allows community property managers to enable or disable PIN code and QR code access method. And property managers are allowed to control end users' family member account generation and package notification service (available in R29 only). Note1: When the feature plan service expired, property managers will lose the above mentioned control. Note2: • When feature plan is set, it can not be changed. • If you select feature plan-Basic, you are required to add at least one indoor monitor in every apartment you created.
5	Community Name	Enter the community name.
6	Address	Enter community address (Street, City, Post code, State/Province).
7	Time Zone	Select the time zone of the community.
8	Time Format	Select the time zone of the community (12-hour/24-hour format).

9	Date Format	Select the date format (Y/M/D; M/D/Y; D/M/Y).
10	PIN Mode	Select PIN Mode (PIN for direct PIN code access, APT+PIN for apartment No.+ PIN code)
11	Charge Mode	Select either community property manager or installer to pay for the SmartPlus service (both account activation and renewal. It is paid by installer by default.)
12	Send Expiration Email to End User/PM	Switch on the service expiration email notification to the end user, property manager, and installer if needed. The notification will be sent in 1 day, 3 days, 5, days after the expiration. 1-day expiration: an email notification will be sent to end users for expiration. 1. day expiration: an email notification will be sent to end users for the expiration. 2. day expiration: an email notification will be sent to the property manager and installer for the expiration. 15-day expiration: an email notification will be sent to the installer for the expiration. Note: if it is switched off, the expiration notification will be sent to installers only.
13	Send Renew Email To End User	Switch on service renewal email notification to the residents if needed.

5.1.2. Edit/Delete Community

After a community is created, you can edit or delete the community if needed.

1. Click on  on the community you want to edit or delete.

Community List



+ New Community

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	Inn Iian	✓ ✎ 👤 ℹ
Akuvox-	0	4	Ryan Chen,Inn Iian	✓ ✎ 👤 ℹ
New_Com	0	0	--	✓ ✎ 👤 ℹ

2. Edit the community setting or delete the setting.



Number of apartments

Landline Service

☒ On ☐ Off

* Feature Plan

[Read Instructions](#)☐ Basic ☐ Premium

* Community Name

* Address

Time Zone

Time Format

☒ 24H ☐ 12H

Format

PIN Mode

☒ PIN ☐ APT+PIN (e.g. 101 + 1234)

Charge Mode

☒ Pay By PM ☐ Pay By Installer

Delete

Cancel

Submit

5.2. Office Scenario

5.2.1. Create Office

An office must be created first on the dashboard before you can proceed to the other management involving device, staff, people, and access control, etc.

1. On the upper left corner of the screen, select **Office**.
2. Click **+ New Office** on the dashboard.

The screenshot shows a web interface for managing offices. At the top, there are two tabs: 'Community' and 'Office', with 'Office' being the active tab. Below the tabs, there is a header indicating '2 Office(s)'. On the left side, there is a blue sidebar with a building icon and two buttons: '+ New Office' and 'Download The Template'. The main area contains a table with the following columns: Name, Device Count, End User Count, Property Managers, and Action. The table lists two offices: 'Akuvox' and 'Akuvox Company', both with 0 devices and 0 end users, and no property managers. The Action column for each office contains icons for checkmark, edit, add user, and info.

Name	Device Count	End User Count	Property Managers	Action
Akuvox	0	0	-	
Akuvox Company	0	0	-	

3. Set up the office by filling in the related office information.
4. Select your feature plan.





New Office



Please upgrade doorphone to the latest version otherwise it may affect some features.

Landline Service

☒ On ☐ Off

Landline Service is a premium feature.

* Feature Plan

[Read Instructions](#)

* Office Name

Office Name

* Address

Street

City

Post Code

State/Province

Country



Time Zone

GMT+12:00 M... ▼

Time Format

☒ 24H ☐ 12H

Date Format



-Month-Day ▼

Charge Mode

☒ Pay By Installer

Send Expiration Email To PM

☒ On ☐ Off

Send Renew Email To PM

☒ On ☐ Off

Cancel

Submit

- **Office Setting Description**



No.	Settings	Description
1	Landline Service	Switch on/off the landline service (Communication between telephone/mobile phone and intercom devices. Land line service is a premium feature in the feature plan.
2	Feature Plan	Select basic or premium features for the office. • Basic feature: this feature does not allow office property managers to enable or disable the PIN code and QR code access method, neither are they allowed to control package notification service (available in R29 only). • Premium feature: this feature allows office property managers to enable or disable PIN code and QR code access method. And office staff are allowed to control package notification service (available in R29 only). Note1: When feature plan service expired, the office property manager will not be able to control the function in the feature plan. Note2: When feature plan is set, it can not be changed.
3	Office Name	Enter the office's name, which can be a company name.
4	Address	Enter office's address (Street, City, Post code, State/Province).
5	Time Zone	Select the time zone of the community.
6	Time Format	Select the time zone of the community (12-hour/24-hour format).
7	Date Format	Select the date format (Y/M/D; M/D/Y; D/M/Y).



8	Charge Mode	Only installers are allowed to pay for the SmartPlus service (both account activation and renewal).
9	Send Expiration Email to PM	Switch on the service expiration email notification to the end users, property managers, and installers if needed. The notification will be sent in 1 day, 3 days, 5, days after the expiration. 1-day expiration: an email notification will be sent to end users for expiration. 1. day expiration: an email notification will be sent to end users for the expiration. 2. day expiration: an email notification will be sent to property managers and installers for the expiration. 15-day expiration: an email notification will be sent to installers for the expiration. Note: if it is switched off, the expiration notification will be sent to installers only.
10	Send Renew Email To PM	Switch on service renewal email notification to the office property manager if needed.

5.2.2. Edit/Delete Office

After an office is created, you can edit or delete the office if needed.



1. Click on



of the office you want to edit or delete.

CommunityOffice

2 Office(s)



+ New Office

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Akuvox	0	0	--	   
Akuvox Company	1	2	--	   

2. Edit the community setting or delete the setting.

Landline Service

☒ On ☐ Off

Landline Service is a premium feature.

* Feature Plan

[Read Instructions](#)

* Office Name

Akuyox Company

* Address

fuzhou

厦门

361006

中国

中国



Time Zone

GMT+12:00 M... ▼

Time Format

☒ 24H ☐ 12H

Date Format

Year-Month-Day ▼

Charge Mode

☒ Pay By Installer

Send Expiration Email To PM

☒ On ☐ Off

Send Renew Email To PM

☒ On ☐ Off

Delete

Cancel

Submit

6. User Management

Community users are managed on a community basis, while office users are managed on office basis. And you are required to go to the specific community or office for the management of the users by moving them into the specific building, apartment, and department.

6.1 Add Community Users

6. Add Community Resident to a Building

After the community is created, you are required to add buildings in the community, then you can start adding the residents to the building you added.

1. Click on ⓘ of the community you intend for the management (it will automatically skip to the **Resident and Device** module).

CommunityOffice

5 Community(ies)

+ New Community

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	
Akuvex-	0	0	inn lian	
New_Com	0	0	--	
Community-C	0	0	--	
Ryan	0	0	Ryan Chen	

2. Click on + **Add Building** to add a building, and rename the building if needed.

3. Click on **APT**, then click on **New** to add resident.

Dashboard

Resident and Device

Firmware

Update

MAC Library

Subscriptions

+ Add Building

Community

- Public Area
- Building1
 - Rename
 - Delete

APTPublic Device

App StatusAllActiveAllResidentSearchNew

APT	APT Name	Resident	Email	Mobile Number	Active	Created Time	Expiration Time	Action
No Data								

Lines per page101Go to1Go0 In All

4. Fill in the apartment and resident's information.

Add APT

Apartment

APT

403

APT Name

Ryan

Device

* Indoor Monitor MAC

MAC address can not be empty.

☒ Arming Function

Network Group

Network 1 ▾

* Location

Relay 1

Off ☒ On

Relay 2

Off ☒ On

Resident

* First Name

* Last Name



Language

English



Country / Region



Mobile Number

1st Landline

2nd Landline

3rd Landline

Call Type

SmartPlus an...



SIP Call Or IP Call

All my device...



[^ Add Resident Later](#)



Cancel

Submit

Note:

- Device selection will not be shown if you switched off the home automation service when you create a community.

- **Setting Description:**



No.	Field Name	Description
1	APT	Fill in the resident's apartment number.
2	APT Name	Fill in the resident's apartment name.
3	Device	Enter the indoor monitor MAC address, which is required for adding an apartment. Device selection is displayed only when you have selected Basic in the feature plan.
4	Arming Function	Enable the arming function so that the arming icon will be available on your SmartPlus app for arming and disarming.
5	Network Group	Select the network group. Devices in the same building need to be set up in the same network group.
6	Location	Fill in the location of the device.
7	Relay1/2	Fill in the relay name, which can be the device's location.
8	First Name	Fill in the resident's first name.
9	Last Name	Fill in the resident's last name.
10	Email	Fill in the resident's email.
11	Language	Select the language of the emails notifying the user account information. Currently 12 languages are supported: English, Simplified Chinese, Korean, Japanese, Turkish, Polish, Russian, Spanish, Bosnian, Danish, Vietnamese, French
12	Mobile Number	Enter resident's mobile phone number.
13	Country/Region	Select the country or region code of the user.



14	Landline 1/2/3	Fill in the user's landline numbers, eg mobile phone numbers or telephone numbers. Three landline numbers are supported.
15	Call Type	Select your call type.
16	SIP Call or IP call	Select "All my devices were installed in the same place (villa or house)" for IP call if all of the user's intercom devices are in the same LAN (Local Area Network). If not, select "Some of my devices were installed in the different place (villa or house)" for SIP call.

Note:

- When adding an indoor monitor, you can set up and name the relays for the device. The relay name will be synchronized to the SmartPlus app. The relay status will also be updated following the changes that occurred on the indoor monitor.


6.1.2. Add Community Residents to a Building Using Template

The template can maximize your efficiency in the management of the resident especially when you are handling a large number of residents for a specific community.

1. Download the template on the dashboard.
2. Fill in the information in the template.
3. Import the template to the community you selected.



5 Community(ies)



Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	✓ ✎ 👤 ℹ
Akurvox-	0	0	inn lian	✓ ✎ 👤 ℹ
New_Com	0	0	--	✓ ✎ 👤 ℹ
Community-C	0	0	--	✓ ✎ 👤 ℹ
Ryan	0	0	Ryan Chen	✓ ✎ 👤 ℹ

• Template Sample

	A	B	C	D	E	F	G	H	I	J	K	L
1	Building	Apt	AptName	Device	FirstName	LastName	Email	MobileNumber	TelephoneCallingCode	1stPhone	2ndPhone	3rdPhone
2	Building#2	403	Ryan		Ryan	Chen						
3												
4												
5												

Note:

- If you select feature plan-Basic, the template must contain indoor monitor MAC address.

• Template Description:



No.	Settings	Description
1	Building	Fill in the building number or name. Note: should not be more than 128 characters in length.
2	Apt	Fill in the apartment number. Note: must be 1-6 digit integral number (http://www.baidu.com/url=_Yt9hP7oJD7Hzu7YTUuo-jniZQb5suDbJK9_1s1R2u0-H7EpPG6Qjk8CFq2FvpO6oeQQtNKbCTeq56VRfVSvq8EnF4SWeCECpky-yB8w3MLvTmz65T4nf5gd)(s).
3	Apt Name	Fill in the apartment name.
4	Device	• Device Type Code: Multi-tenant door phone=0 Single-tenant door phone=1 Indoor Monitor=2 Guard Phone=3 Access Control=50 • Device Setting Format: "Device location, Device type, Device MAC". Eg: Gate2,0,0C11050B9814; Living Room,2,0C11050893C6 Note: every two devices need to be separated by “;”. Note: Device MAC must be added first in the MAC library of the community to which you want to import the data.
5	First Name	Fill in the resident's first name. Note: should not be more than 64 characters in length.
6	 Last Name	Fill in the resident's last name. Note: should not be more than 64 characters in length.

7	Email	Fill in the resident's Email.
8	Mobile Number	Fill in the resident's mobile phone number.
9	Telephone Calling Code	Fill in the resident's country code.
10	Phone1/2/3	Fill in the resident's mobile phone number.
11	Call Type	Call Type Code: SmartPlus and indoor monitor=0 Phone and indoor monitor =1 SmartPlus and indoor monitor, with phone as backup =2 Indoor monitors with=3 Indoor monitors with phone as backup=4 Indoor monitors with smartPlus as backup, finally phone=5 Eg. "Indoor monitors with smartPlus as backup, finally phone=5" the call will be received in sequential order, first by indoor monitor, then SmartPlus app, and last mobile phone.

6.1.3. Edit/Delete Community Resident

You can edit and delete the resident and the resident apartment if needed.



Note:

- You can only edit and delete the residents that have been moved in to apartments by the property manager.

- Click **Resident and Device** module.
-  at the building and apartment of the resident.




3. Click  to delete the resident and click  to edit the resident's information.

6.1.4. Add/Edit/Delete Family Members for Resident

After you added the residents, you can start adding family member accounts for the SmartPlus app. Family member accounts can be edited and deleted afterwards.

1. You start by selecting the resident's community. You can click  of the resident's community.



Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	   
Akuvox-	0	0	inn lian	   
New_Com	0	0	--	   
Community-C	0	0	--	   
Ryan	1	0	Ryan Chen	   



2. Select your building and apartment, then click on



Dashboard

Resident and Device

Firmware

Update

MAC Library

+ Add Building

Community

Public Area

Building1

Residents

Devices

App Status

All

Active

All

Resident

Search

Resident	Email	Building	APT	APT Name	Active	App Status	Created Time	Expiration Time	Action
No Data									

Lines per page

10

<

1

>

Go to

1

Go

0 In All




3. Scroll down and click **New** to create the family account. And click



to edit the account, and click





to delete the account.



+ Add Building

APT

Public Device

Community

Public Area

Building1

Family SIP Number

5926000017

Family Master

Ryan Chen

Email

Mobile Number

Landline

Call Type

SmartPlus and indoor monitors

Active

Active

App Status

Unregistered

1 Family Member

New

Name	Email	Mobile Number	Action
Jim Wang	624224031@qq.com	--	

Note:

- The email information in the family member account can not be edited.

6.1.5. Search/Edit/Delete Resident at Community Level

1. Select the community you need for the management. You can click  to go into the community.

5 Community(ies)

New Community


Download The Template

Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	
Akuvox-	0	0	inn lian	
New_Com	0	0	--	
Community-C	0	0	--	
Ryan	1	2	Ryan Chen	

2. Click **Community**.

3. Search, edit and delete the residents.






6.2. Add Office Users

You can add office staff and personnel to the offices you have created.


6.2.1. Add User to Office

After an office is created, you are required to add departments in the office, then you can start adding the users to the department you added.

1. Click on  of the community you intend for the management (it will automatically skip to the **People and Device** module).



2. Click on **+ Add Department** to add a building, and rename the building if needed.
3. Click **People**, then **New** to add user.



4. ... staff or personnel's information.



* Identity 

Personnel ▼

* First Name

* Last Name

* ID

Email

Language

English ▼

Country / Region

Mobile Number

SIP Call Or IP Call

All my devices ... ▼

☒ Smartplus Intercom Feature 



ne

Call Type

SmartPlus and i... ▼

Cancel

Submit

Note:

- When the SmartPlus Intercom Feature is disabled, you will only have one call type: **Indoor monitor/guard phones.**

- **Setting Description:**



No.	Field Name	Description
1	Identity	Select staff or personnel.
2	First Name	Fill in the user's first name.
3	Last Name	Fill in the user's last name.
4	ID	Enter the ID number of Staff or people. The ID should be unique and cannot be repetitive.
5	Email	Enter the user's email.
6	Language	Select the language of the emails notifying the user the account information. Currently 12 languages are supported: English, Simplified Chinese, Korean, Japanese, Turkish, Polish, Russian, Spanish, Bosnian, Danish, Vietnamese, French.
7	Country/Region	Select the country or region code of the user.
8	Mobile Number	Enter Resident's mobile phone number.
9	SIP Call or IP call	Select "All my devices were installed in the same place (villa or house)" for IP call if all of the user's intercom devices are in the same LAN (Local Area Network). If not, select "Some of my devices were installed in the different place (villa or house)" for SIP call.
10	SmartPlus Intercom Feature	If enabled, the user is allowed to use SmartPlus app.
11	Device	Enter the indoor monitor MAC address, which is required for adding an apartment.



12	Landline 1/2/3	Fill in the user's landline numbers, eg mobile phone numbers or telephone numbers. Three landline numbers are supported.
13	Call Type	Select the call type. For example: • SmartPlus and indoor monitors/guard phones, with phone as backup: means the call will be received in sequential order, first by Smart Plus app and indoor monitor, then guard phone, and last by mobile phone. Note: you can only select the call type “Indoor monitor/guard phones” when you disable the SmartPlus Intercom Feature.

6.2.2. Add User to Office Using Template

The template can maximize your efficiency in the management of the resident especially when you are handling a large number of users for a specific office.

1. On the office dashboard, download the template on the dashboard.

Community

Office

2 Office(s)



+ New Office

↓ Download The Template

Name	Device Count	End User Count	Property Managers	Action
Akuvox	0	0	--	   
Akuvox Company	1	2	--	   



2. Fill in the information in the template, then click



of the community to which you want to Import the template.

CommunityOffice

2 Office(s)



+ New Office

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Akurvox	0	0	--	   
Akurvox Company	1	2	--	   

- **Template Sample**

[illegible]

- **Template Description**



No.	Settings	Description
1	Department	Fill in the department name or number. Note: should not be more than 128 characters in length.
2	Device	• Device Type Code: Multi-tenant door phone=0 Single-tenant door phone=1 Indoor Monitor=2 Guard Phone=3 Access Control=50 • Device Setting Format: "Device location, Device type, Device MAC". Eg: Gate2,0,0C11050B9814; Living Room,2,0C11050893C6 Note: every two devices need to be separated by ";". Note: device MAC must be added first in the MAC library of the community to which you want to import the data.
3	Identity	Select the office users identity: staff or personnel.
4	First Name	Fill in the office staff or personnel's first name. Note: should not be more than 64 characters in length.
5	Last Name	Fill in the staff or personnel's last name. Note: should not be more than 64 characters in length.
6	ID	Enter the ID number of Staff or people. The ID should be unique and cannot be repetitive.
7	Email	Fill in the user's Email.



8	Mobile Number	Enter the mobile phone number of the staff or personnel. The mobile number here is used for user account registration only.
9	Telephone Calling Code	Fill in the resident's country code.
10		• Device Type Code: Multi-tenant door phone=0 Single-tenant door phone=1 Indoor Monitor=2 Guard Phone=3 Access Control=50 • Device Setting Format: "Device location, Device type, Device MAC". Eg: Gate2,0,0C11050B9814; Living Room,2,0C11050893C6 Note: every two devices need to be separated by ";". Note: Device MAC must be added first in the MAC library of the community to which you want to import the data.
11	SmartPlus Intercom Feature	Enter 1 to allow users to use SmartPlus app and enter "0" to disable the SmartPlus app service.
12	Phone	Fill in the landline number of the office staff or personnel to receive incoming calls.



13	Call Type	Call Type Code: Smartplus=0 Phone=1 SmartPlus with phone as backup=2 For example: "SmartPlus with phone as backup" means the call will be received in sequential order, first by SmartPlus app, and last by mobile phone.
----	-----------	---

Note:

- You can import both staff and devices or people and devices at the same time using one template.


6.2.3. Edit/Delete User in Department

You can edit and delete office users in a department if needed.

Note:

- You can only edit and delete the office users who have been moved into a specific department by the office property manager.

- On the office dashboard, click on  of the office you intend for the management (it will automatically skip to the **People and Device** module).



Community Office

2 Office(s)

Name	Device Count	End User Count	Property Managers	Action
Akuvox	0	0	--	   
Akuvox Company	0	0	--	   

+ New Office

Download The Template

- Select the department.



Dashboard

People And Device

Firmware

Update

MAC Library

Subscriptions

Payments

+ Add Department

Office

Public Area

Technical Department

1

PeoplePublic Device


IdentityAllApp StatusAllActiveAll

NameSearchNew

Name	ID	Email	Mobile Number	Active	App Status	Created Time	Expiration Time	Action
Jim Wang	Personnel123456	--	--	Inactivated	Unregistered	2022-03-03 22:34:41	2022-04-03 17:34:41	 
Ryan Chen	Staff12345	--	--	Inactivated	Unregistered	2022-03-03 22:34:13	2022-04-03 17:34:13	 


Lines per page10<1>Go to1Go2 In All

3. Click



to  the user, and click





to edit the user's information.



4. On the upper right corner of the screen, click



to edit the user information.

+ Add Department

Office


- Public Area
- Technical Department
- 1

PeoplePublic Device

Name	Ryan Chen	Staff
ID	12345	
SIP Number	5926100062	
Email	--	
Mobile Number	--	
Landline	--	
Call Type	SmartPlus and indoor monitors/guard phones	
SIP Call Or IP Call	All my devices were installed in the same place.	
Smartplus Intercom Feature	On	
Active	Inactivated	
App Status	Unregistered	

6.2.4. Search/Edit/Delete Users in Office


1. On the office dashboard, click on  of the office you intend for the management (it will automatically skip to the **People and Device** module).



The screenshot shows the 'Office' tab selected in the top navigation bar. On the left, there is a sidebar with a building icon and buttons for '+ New Office' and 'Download The Template'. The main area displays a table with the following data:

Name	Device Count	End User Count	Property Managers	Action
Akurvox	0	0	--	   
Akurvox Company	0	0	--	   

2. Search, edit and delete the users in the same office.



The screenshot shows the 'People' tab selected in the top navigation bar. On the left, there is a sidebar with a list of departments: Public Area, Technical Department, and 1. The main area displays a table with the following data:

Name	ID	Email	Department	Active	App Status	Created Time	Expiration Time	Action
Jim Wang	123456	--	Technical Department	Inactivated	Unregistered	2022-03-03 22:34:41	2022-04-03 17:34:41	 
Ryan Chen	12345	--	Technical Department	Inactivated	Unregistered	2022-03-03 22:34:13	2022-04-03 17:34:13	 

7. Device Management

You can manage the devices deployed in communities and offices. For community devices, you are required to go to the specific community and specific building to manage the device. For office devices, you need to go to a specific office and a specific department to manage the office devices.

7.1. Community Device Management

7.1.1. Add Device to a Building

After the community is created, you are required to add buildings in the community, then you can start adding the devices to the building you added.



1. Click on



of the community you intend for the management (it will automatically skip to the **Resident and Device** module).

5 Community(ies)



+ New Community

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	   
Akuvox-	0	0	inn lian	   
New_Com	0	0	--	   
Community-C	0	0	--	   
Ryan	1	2	Ryan Chen	   

2.  on + **Add Building** to add a build.
3. Rename or delete the building if needed.



4. Click on **Public Device**, then click on **New** to add the device.

Dashboard

Resident and Device

Firmware

Update

MAC Library

Subscriptions

+ Add Building

Community

- Public Area
- Building1

APT

Public Device

App StatusAllActiveAllResident

Q Search

New

APT	APT Name	Resident	Email	Mobile Number	Active	Created Time	Expiration Time	Action
403	403	Ryan Chen	--	--	Normal	2022-03-03 15:27:25	2022-04-03 15:33:23	

Lines per page10<1>Go to1Go1 In All

5. Add the device to the building.

Add Device

* MAC

Device Type

Multi-tenants...

Network Group

Network 1

Contacts Setting

☒ Only APT numbers

☐ Indoor monitor and apps

☐ APT numbers, indoor monitors and apps

* Location

Relay 1

Off ☒ On

* Relay Name

ay1

© 2022 HUB5000, All Rights Reserved

DTMF Code

Unlock

☒ Unlock in homepage

☒ Unlock in talking page

Add Relay

Cancel

Submit

Note:

- When adding an indoor monitor, you can set up and name the relays for the device. The relay name will be synchronized to the SmartPlus app. The relay status will also be updated following the changes that occurred on the indoor monitor.

Note:

- When you set the device type as Indoor Monitor, you can tick the checkbox of that ☐ Arming Function that will appear so that the arming icon will be available on your SmartPlus app for arming and disarming.

• **Setting Description:**



No.	Field Name	Description
1	MAC	Fill in the device MAC address.
2	Device Type	Fill in the type of device.
3	Network Group	Select the network group. Devices in the same building need to be set up in the same network group.
4	Contact Setting	Select the contact screen display on the door phone.
5	Location	Fill in the location of the device.
6	Relay1	Fill in the relay name, which can be the device location.
7	DTMF code	Enter the DTMF code for the door access.
8	Unlock	"unlock in homepage" means unlock can be done on the home screen, while "unlock in talking page" means unlock can be done while talking.
9	Add Relay	You can add more relays if needed.

7.1.2. Add Devices to a Building Using Template

The template can maximize your efficiency in the management of the devices especially when you are handling a large number of devices for a specific community.

1. Download the template on the dashboard.
2. Fill in the information in the template.



3. Click



of the community to which you want to Import the template.

5 Community(ies)



+ New Community

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	   
Akurvox-	0	0	inn lian	   
New_Com	0	0	--	   
Community-C	0	0	--	   
Ryan	1	2	Ryan Chen	   

-  plate Sample

No.	Settings	Description
1	Building	Fill in the building number or name. Note: should not be more than 128 characters in length.
2	Apt	Fill in the apartment number. Note: must be 1-6 digit integral number (http://www.baidu.com/url=_Yt9hP7oJD7Hzu7YTUuo-jniZQb5suDbJK9_1s1R2u0-H7EpPG6Qjk8CFq2FvpO6oeQQtNKbCTeq56VRfVSvq8EnF4SWeCECpky-yB8w3MLvTmz65T4nf5gd)(s).
3	Apt Name	Fill in the apartment name.
4	Device	• Device Type Code: Multi-tenant door phone=0 Single-tenant door phone=1 Indoor Monitor=2 Guard Phone=3 Access Control=50 • Device Setting Format: "Device location, Device type, Device MAC". Eg: Gate2,0,0C11050B9814; Living Room,2,0C11050893C6 Note: every two devices need to be separated by ";". Note: Device MAC must be added first in the MAC library of the community to which you want to import the data.
5	First Name	Fill in the resident's first name. Note: should not be more than 64 characters in length.
6	 Last Name	Fill in the resident's last name. Note: should not be more than 64 characters in length.

7	Email	Fill in the resident's Email.
8	Telephone Calling Code	Fill in the resident's country code.
9	Phone1/2/3	Fill in the resident's mobile phone number.
10	Call Type	Call Type Code: SmartPlus and indoor monitor=0 Phone and indoor monitor =1 SmartPlus and indoor monitor, with phone as backup =2 Indoor monitors with=3 Indoor monitors with phone as backup=4 Indoor monitors with SmartPlus as backup, finally phone=5 Eg. "Indoor monitors with SmartPlus as backup, finally phone=5' the call will be received in sequential order, first by indoor monitor, then SmartPlus app, and last mobile phone.

Note:

- You can import both residents and devices at the same time using one template.

7.1.3. Edit/Delete the Device

You can edit and delete the device of a building if needed.



1. Click



of the community in which the device is located.

5 Community(ies)



+ New Community

Download The Template



Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	   
Akuvox-	0	0	inn lian	   
New_Comi	0	0	--	   
Community-C	0	0	--	   
Ryan	1	2	Ryan Chen	   

2. Select your building, then click **Public Device**.

3. Click on



to check the device’s basic information if needed.

4.  or delete the device according to your need.



Dashboard

Resident and Device

Firmware

Update

MAC Library

Subscriptions

Payments

+ Add Building

Community

Public Area

Building1

APT

Public Device

MAC

Search

New

	MAC	Location	Device Type	SIP	Status	Created Time	Action
☐	0C11050B9814	Gate1		5926100061		2022-03-03 16:04:57	

Lines per page

10

<

1

>

Go to

1

Go

1 In All

7.1.4. Add/Edit/Delete Device in Public Area


1. Click on



of the community you want to manage public area devices.



5 Community(ies)



Name	Device Count	End User Count	Property Managers	Action
Community 1	0	0	inn lian	✓ ✎ 👤 ℹ
Akuvox-	0	0	inn lian	✓ ✎ 👤 ℹ
New_Com	0	0	--	✓ ✎ 👤 ℹ
Community-C	0	0	--	✓ ✎ 👤 ℹ
Ryan	2	2	Ryan Chen	✓ ✎ 👤 ℹ

2. Click on **Public Area** and add the device to the public area.

3. Search, check, edit or delete the device.

Dashboard

Resident and D...

Firmware

Update

MAC Library

Subscriptions

Payments

+ Add Building

Community

+ Public Area

+ Building 1

+ Building#2

Public Device

MAC

	MAC	Location	Device Type	SIP	Status	Created Time	Action
☐	0C1105060414	Gate1		5926100022		2021-12-02 16:54:51	ℹ ✎ 🗑

Lines per page [<](#) [1](#) [>](#) Go to 1 In All



* MAC

0C11050B9814

Device Type

Multi-tenants ... ▾

Network Group

Network 1 ▾

Contacts Setting

☒ Only APT numbers☐ Indoor monitor and apps☐ APT numbers, indoor monitors and apps

* Location

Gate1

Relay 1

Off ☒ On

* Relay Name

Relay1

DTMF Code

▾

Unlock

☒ Unlock in homepage☒ Unlock in talking page

-  **plate Description**

No.	Field Name	Description
1	MAC	Fill in the device MAC address.
2	Device Type	Fill in the type of device.
3	Network Group	Select the network group. Devices in the same building need to be set up in the same network group.
4	Contact Setting	Select the contact screen display on the door phone.
5	Location	Fill in the location of the device.
6	Relay1	Fill in the relay name, which can be the device location.
7	DTMF code	Enter the DTMF code for the door access
8	Unlock	"unlock in homepage" means unlock can be done on the home screen, while "unlock in talking page" means unlock can be done while talking.
9	Add Relay	You can add more relays if needed.

7.1.5. Search/Edit/Delete Device at Community Level

1. Select the community you need for the management.

5 Community(ies)



+ New Community
Download The Template

Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	   
Akavoo-	0	0	inn lian	   
New_Comm	0	0	--	   
Community-C	0	0	--	   
Ryan	2	2	Ryan Chen	   

2.  on **Community** and **Devices**.

3. Search, edit and delete the devices.

Dashboard

Resident and Device

Firmware

Update

MAC Library

Subscriptions

Payments

+ Add Building

Community

Public Area

Building1

Residents

Devices

MAC

Search

	MAC	Location	Resident	APT	Building	Device Type	SIP	Status	Created Time	Action
☐	0C11050B9814	Gate 1	--	--	Building1		5926100061		2022-03-03 16:04:57	
☐	0C110509BA3C	Living Room	Ryan Chen	403	Building1		5926100059		2022-03-03 00:14:01	

Lines per page

10

< 1 >

Go to

1

Go

2 In All

7.1.6. Remote Maintenance for Community Device

You can provide residents with remote maintenance in terms of device data transmission type configuration, device reboot, device web interface remote control and device provisioning, etc. for the device on the community level, building level and public area level.

1. Click on **Community** (Taking community as an example).



2. Click **Devices**, then




3. Click on **Setting**.

4. Reboot or log in to the device web interface remotely via remote control.

5. Enter the commands for the Auto-provisioning, then click on Submit.

6. Click on **Once Autop** if only you want the Autop command(s) to be implemented one time.





Note:

- Autop commands need to be deleted in the field if you do not intend to carry out the command repetitively.

Note:

- **Once Autop** allows you to carry out the autop command(s) only one time with no repetition.

7.2. Office Device Management

7.2.1. Add Device to Office


After an office is created, you are required to add departments in the office, then you can start adding the devices to the department you added.



1. Click on



of the office you intend for the management (it will automatically skip to the **People and Device** module).




2.  on **+ Add Department** to add a department.

3. Click on the department you created, then click on **Public Device**.



4. Click on **New** to add the device to the department.



5. Add the device to the department.

Add Device

* MAC

Device Type

Multi-tenants ...

Network Group

Network 1

Contacts Setting

Only People

Indoor monitors, guard phones and apps

People, Indoor monitors, guard phones and apps

* Location

Relay 1

Off ☒ On

Relay Name

Relay1

DTMF Code

Unlock

- ☒ Unlock in homepage ☒ Unlock in talking page

Add Relay

Cancel

Submit

Note:

- When adding an indoor monitor, you can set up and name the relays for the device. The relay name will be synchronized to the SmartPlus app. The relay status will also be updated following the changes that occurred on the indoor monitor.

• **Setting Description:**



No.	Field Name	Description
1	MAC	Fill in the device MAC address.
2	Device Type	Fill in the type of device.
3	Network Group	Select the network group. Devices in the same building need to be set up in the same network group.
4	Contact Setting	• Only People: display the owners' names of the guard phones, and indoor monitors. When you press on the name, you will be able to call the owners via their SmartPlus app, guard phone, and indoor monitor at the same time. • Indoor monitors, guard phones, apps: displays all the indoor monitors, guard phones and SmartPlus app names. • People, Indoor monitor, guard phone and app: display all the owners' names, when you press on the people's name, you will see the indoor monitor, guard phone and app name, and you will be able to call the owners via their SmartPlus app, guard phone, and indoor monitor at the same time.
5	Location	Fill in the location of the device.
6	Relay1	Fill in the relay name, which can be the device location.
7	DTMF code	Enter the DTMF code for the door access.
8	Unlock	"unlock in homepage" means unlock can be done on the home screen, while "unlock in talking page" means unlock can be done while talking.
9	 Add Relay	You can add more relays if needed.

7.2.2. Add Devices to Department Using Template

The template can maximize your efficiency in the management of the devices especially when you are handling a large number of devices for a specific department.

- 1. Download the template on the dashboard.
- 2. Fill in the information in the template.
- 3. Click



of the community to which you want to Import the template.

Community

Office

2 Office(s)

+ New Office

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Akuvox	0	0	--	
Akuvox Company	0	0	--	

• Template Sample

G13

fx

	A	B	C	D	E	F	G	H	I	J	K	L
1	Department	Device	Identity	First Name	Last Name	ID	Email	Mobile Number	Telephone Calling Code	Smartplus Intercom Feature	Phone	Call Type
2	Technical Department	Gata2,0,0C1105089814;Room1,2,0C1105089813	staff	Ryan	Chen	1234						
3												
4												
5												

• Template Description



No.	Settings	Description
1	Department	Fill in the department name or number. Note: should not be more than 128 characters in length.
2	Device	• Device Type Code: Multi-tenant door phone=0 Single-tenant door phone=1 Indoor Monitor=2 Guard Phone=3 Access Control=50 • Device Setting Format: "Device location, Device type, Device MAC". Eg: Gate2,0,0C11050B9814; Living Room,2,0C11050893C6 Note: every two devices need to be separated by ";". Note: Device MAC must be added first in the MAC library of the community to which you want to import the data.
3	Identity	Select user identity: office staff or personnel.
4	First Name	Fill in the resident's first name. Note: should not be more than 64 characters in length.
5	Last Name	Fill in the resident's last name. Note: should not be more than 64 characters in length.
6	ID	Enter the ID number of Staff or people. The ID should be unique and cannot be repetitive.
7	Email	Fill in the user's Email.



8	Mobile Number	Enter the mobile phone number of the staff or people.
9	Telephone Calling Code	• Device Type Code: Multi-tenant door phone=0 Single-tenant door phone=1 Indoor Monitor=2 Guard Phone=3 • Device Setting Format: "Device location, Device type, Device MAC". Eg: Gate2,0,0C11050B9814; Living Room,2,0C11050893C6 Note: every two devices need to be separated by ";". Note: Device MAC must be added first in the MAC library of the community to which you want to import the data.
10	SmartPlus Intercom Feature	Enter 1 to allow users to use SmartPlus app and enter "0" to disable the SmartPlus app service.
11	Phone	Fill in the mobile phone number of the office staff or office people.



12	Call Type	Call Type Code: SmartPlus and indoor monitor=0 Phone and indoor monitor =1 SmartPlus and indoor monitor, with phone as backup =2 Indoor monitors with=3 Indoor monitors with phone as backup=4 Indoor monitors with SmartPlus as backup, finally phone=5 Eg. "Indoor monitors with SmartPlus as backup, finally phone=5" means the call will be received in sequential order, first by indoor monitor, then SmartPlus app, and last mobile phone.
----	-----------	--

Note:

- You can import both staff and devices or people and devices at the same time using one template.

7.2.3. Edit/Delete Office Device

You can edit and delete device of a department if needed.



1. Click



of the community in which the device is located.

CommunityOffice

2 Office(s)

+ New Office

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Akurvox	0	0	--	
Akurvox Company	0	0	--	

2. Select your department, then click **Public Device**.

3. Click on



to  the device basic information if needed.

4. Edit or delete the device according to your need.



Dashboard

People And Device

Firmware

Update

MAC Library

Subscriptions

Payments

+ Add Department

Office

+ Public Area

+ Technical Department

PeoplePublic Device

MAC

Search

New

	MAC	Location	Device Type	SIP	Status	Created Time	Action
☐	0C11050B9814	Gate1		5926100064		2022-03-03 22:37:18	

Lines per page

10

<1>

Go to

1

Go

1 In All

7.2.4. Add/Edit/Delete Office Device in Public Area

1. Click on



of the community you want to manage public area devices.



CommunityOffice

2 Office(s)



+ New Office

↓ Download The Template

Name	Device Count	End User Count	Property Managers	Action
Akurvox	0	0	--	   
Akurvox Company	1	2	--	   

2. Click on **Public Area** and add the device to the public area.

3. Search, check, edit or delete the device.

Dashboard

People And Device

Firmware

Update

MAC Library

Subscriptions

Payments

+ Add Department

Office

+ Public Area

+ Technical Department

Public Device

MAC

Search

New

	MAC	Location	Device Type	SIP	Status	Created Time	Action
☐	0C110509BA3C	Guard room		5926100065		2022-03-03 23:00:43	  

Lines per page

10

< 1 >

Go to

1

Go

1 In All



* MAC

0C11050B9814

Device Type

Multi-tenants ... ▼

Network Group

Network 1 ▼

Contacts Setting

☒ Only APT numbers☐ Indoor monitor and apps☐ APT numbers, indoor monitors and apps

* Location

Gate1

Relay 1

Off ☒ On

* Relay Name

Relay1

DTMF Code


▼

Unlock

☒ Unlock in homepage☒ Unlock in talking page


7.2.2. Edit/Delete Device at Office Level

1. On the office dashboard, select the office you need for the management.



2. Click **Office**, then **Device**.

3. Search, edit and delete the devices.



7.2.6. Remote Maintenance for Office Device

You can provide users with remote maintenance in terms of device data transmission type configuration, device reboot, device web interface remote control and device provisioning, etc. for the device in the specific office, specific department and in the public area.



1. Click on



to select the office.

2 Office(s)



+ New Office

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Akuvox	0	0	--	   
Akuvox Company	1	2	--	   

2. Click **Device** and you will see all the devices deployed at the office level. Then cli





of the device requiring remote maintenance.

Dashboard

People And Device

Firmware

Update

MAC Library

Subscriptions

Payments

+ Add Department

Office

Public Area

Technical Department

People

Devices

MAC

Search

	MAC	Location	Department	Personnel	Device Type	SIP	Status	Created Time	Action
☐	0C110509BA3C	Guard room	--	--		5926100065		2022-03-03 23:00:43	

Lines per page

10

< 1 >

Go to

1

Go

1 In All

3. On the upper right corner of the screen, click on **Setting**.



Dashboard
People And Device
Firmware
Update
MAC Library
Subscriptions
Payments

Device Info - 0C110509BA3C

Settings

Basic Information

Permission building:	All Departments
Location:	Guard room
MAC:	0C110509BA3C
SIP:	5926100065
Last Connection:	2022-03-03 23:21:08
Type:	
Owner:	

4. Reboot or log in to device web interface remotely via remote control.

5. Enter the commands for the Auto-provisioning, then click on **Submit**.

Settings

Connect Type
TCP

Others

Reboot
Remote Control
Once Autop
Cancel
Submit

6. Click on **Once Autop** if only you want the Autop command(s) to be implemented one time.

Once Autop

Connect Type
TCP

Others

Cancel
Submit

Reboot
Remote Control
Once Autop
Cancel
Submit

Note:

- Autop commands need to be deleted in the field if you do not intend to carry out the command repetitively.



note:



- **Once Autop** allows you to carry out the autop command(s) only one time with no repetition.

8. Manage MAC Library

When you obtain the device MAC address, you will need to store them in the MAC library of the specific community and specific office as a record. You can also search and check for all the MACs that are bound or not bound with the users.

8.1. Add MAC to MAC Library

You can add the MAC to the MAC library in the specific community and specific office manually or using a template.

- **Add MAC Manually**

1. Go to **MAC Library** Module.
2. Click on **Add** and fill in the device MAC.

MAC

Search

Import

New

	MAC	Installer	Owner	Created Time	Action
	0C110509BA3C	RyanChen	Public Device	2022-03-03 22:23:48	

Lines per page10

<1>

Go to1Go

1 In All

- **Add MAC using Template**

1. Click on **Import**.
2. Select the MAC template from your personal computer and upload it.

MAC

Search

Import

New

☐	MAC	Installer	Owner	Created Time	Action
☐	0C11050B9814	RyanChen	Public Device	2022-03-03 00:13:23	
☐	0C110509BA3C	RyanChen	Building1-403	2022-03-03 00:13:14	

Lines per page10<1>Go to1Go2 In All

- **MAC Template**




	C9						
	A	B	C	D	E	F	G
1	MAC						
2	0C11050893CA						
3	0C11050893CB						
4	0C11050893CC						

Note:

- One MAC only in each line. And the MAC addresses in the template can be obtained from your distributor or you can find the MAC at the back of the device.

8.2. Remove the MAC from the MAC Library

1. Go to **MAC Library** Module.
2. Search the device by MAC.
3. Remove the device from your MAC library.



Note:

- If the device is bonded with the user, you are required to unbind them before you are allowed to remove the device MAC from the MAC library.

9. Property Manager Account

As an installer, you can manage property manager accounts for both community scenario and office scenario.

9. Manage Property Manager Account

After a community or an office is set up, you can create a property manager account for the community management and office management.

9.1.1. Add Property Manager Account

You can create community property managers account and assign them to a specific community.

1. Select the community project or office project.
- Community: on the community dashboard, click on **New Property Manager**.
 - Office: on the office Dashboard, click on **New Property Manager**.

Property Manager List

New Property Manager

Name	Email	Community	Action
inn ilan	inn.ilan@akuvox.com	Community1,Akuvox-	 
Ryan Chen	hichampion@163.com	Akuvox-	 

2. Fill in the property manager information.



* First Name

* Last Name

* Email

Language

English




Cancel

Submit



3. Click on



of the community or office to which you want to assign the property manager.

Community:

5 Community(ies)



+ New Community

Download The Template



Name	Device Count	End User Count	Property Managers	Action
Community1	0	0	inn lian	   
Akuvon-	0	0	inn lian	   
New_Com	0	0	--	   
Community-C	0	0	--	   
Ryan	2	2	Ryan Chen	   

Office.

2 Office(s)

+ New Office

Download The Template

Name	Device Count	End User Count	Property Managers	Action
Akurvox	0	0	--	
Akurvox Company	1	3	Jim	

4. Select the property manager and move it to the right box, then tick the checkbox of the selected property manager and click **Submit** for confirmation.

Property Manager

To be selected

☐ inn lian

< Remove

> Add

Selected

☐ Ryan Chen

Cancel

Submit

Note:

- The check box on the right box needs to be ticked for adding the property manager.

9.1.2. Edit/Delete Property Manager Account

You can edit and delete the property manager account if needed.

1. Select the property manager account in the **Property Manager List**.




Property Manager List

New Property Manager

Name	Email	Community	Action
inn lian	inn.lian@akuvox.com	Community1,Akuvox-	✎ ✖
Ryan Chen	hichamplon@163.com	Akuvox-	✎ ✖

2. Click on



to edit the property manager account information and edit the password by resetting the password.



* First Name

Ryan

* Last Name

Chen

Reset Password

Cancel

Submit

10. Firmware Management

You can check and update your device firmware version in the **Firmware** module and **Update** module respectively.

10.1. Check Firmware List

Before you start updating your device firmware, you can go to **Firmware** module to check the latest firmware that is available for uploading.

Version	Model	Version Log	Created Time	Action
29.30.2.805	R29	29.30.2.805	2021-08-04 22:24:52	
29.30.2.804	R29	29.30.2.804	2021-08-04 22:24:16	
29.30.102.820	R29	29.30.102.820_Log	2021-07-15 16:44:53	
29.30.2.803	R29	29.30.2.803	2021-07-14 17:02:16	
29.30.2.450	R29	29.30.2.450	2021-07-14 16:50:16	
113.30.6.89	C313	113.30.6.89	2021-07-05 19:32:41	
916.30.101.303	x916	916.30.101.303	2020-09-14 21:03:52	
82.30.2.622	IT82	82.30.2.622	2020-05-26 20:40:11	
28.31.1.209	R28	28.31.1.209	2020-04-08 01:17:54	
227.31.1.131	R27	227.31.1.131	2020-03-30 19:10:44	

-  **ware List Description**

No.	Field Name	Description
1	Version	Displays the firmware version number.
2	Model	Displays the device model.
3	Version Log	Generally displays remarks on the version.
4	Created Time	Displays when the firmware is uploaded.
5	Action	Click to check the detailed firmware information.

10.2. Update Firmware

You can update the device firmware to the firmware version you selected according to the update timing you defined.

- 1. Go to **Update** Module.
- 2. Click on **Add**.

Status

All

Version

Search

New

Version	Device	Status	Upgrade Time	Created Time	Action
No Data					

Lines per page 10

< 1 >

Go to 1 Go

0 In All

- 3. Select the device model and the firmware to be upgraded to.
- 4. Select the specific device(s) and update timing.



Update List

Status All

Refresh Add

Version	Device	Status	Upgrade Time	Action
20.30.4.4	---	Executed	2021-04-22 14:56:12	Delete
20.30.4.110	---	Executed	2021-03-30 11:39:35	Delete
29.31.1.519	---	Executed	2019-06-30 22:19:10	Delete

Update Strategy Creation

✕

* Version

R29

29.30.2.408

* Device

*The devices in different versions of the same model, which are connected, will be shown in the list below.

MAC/Owner/Location

	Location	Owner	MAC	Current Version	Status
☒	R29C-F		0C110506D5D5	29.30.2.16	●
☒	Jim-testR29		0C0C0C0C0C0D	29.30.2.16	●

* Time

☒ Upgrade Right Now
 ☐ Specific Time

Cancel

Submit

10.3. Check and Edit Firmware Update List

After you update your device firmware, you can not only check your firmware update status, but also edit the update setting for devices pending the upgrade. And you can delete the specific record as well.

1. Search the firmware status by **All, Pending, Processing, Executed**.
2. Edit the update setting for the devices pending the update.
3. Delete the specific update record if needed.

Status All

Version

Search

New

Version	Device	Status	Upgrade Time	Created Time	Action
20.30.4.4	---	Executed	2021-04-22 14:56:12	2021-04-14 14:56:55	✖
20.30.4.110	---	Executed	2021-03-30 11:39:35	2021-03-22 11:39:49	✖
29.30.2.419	R29test	Executed	2021-03-22 11:16:42	2021-03-22 11:16:41	✖
20.30.4.4	---	Executed	2021-03-22 10:52:23	2021-03-22 10:52:23	✖
20.30.4.10	---	Executed	2020-11-14 11:16:33	2020-11-03 11:16:39	✖
29.31.1.519	---	Executed	2019-06-30 22:19:10	2019-06-12 22:19:12	✖

Lines per page 10

1 2 3

Go to 1 Go


6 In All

- **Update List Description**



No.	Field Name	Description
1	Version	Displays the firmware version number in the update list.
2	Device	Displays the device model in the update list.
3	Status	Displays update status: Pending for the firmware that will be updated according to the updating timing. Executed for the firmware that has finished updating, and Processing for the firmware that is being updated.
4	Update Time	Displays when the firmware is updated.
5	Created Time	Displays when the update setting is created.
6	Action	Action involves the update setting alteration and update record removal.

Note:

- After you initiated the specific firmware update, you need to click  to update the firmware list.

11. Subscription


You can pay for subscription fee for both the service activation and renewal for the community users and office users.

11.1. Activate End user Account

- Go to **Subscription** Module.



2. Click on



3. Select the end user account you want to activate.

- Select the community user account you want to activate for the SmartPlus service.
-  Select the office user account you want to activate for the SmartPlus service.

Community:

Project Device

Personal Device

User

Firmware

MAC Library

Subscriptions

Payments

Setting

✓

Purchase Types

2

Purchase Details

3

Payment Information

4

Confirmation

Please Select Apartments(500 Maximum At A Time)

Selected 1:

403

☒	Building	APT	Email	Name	Activation Fee(\$)
☒	Building1	403	--	Ryan Chen	8

<

1

>

Go to

1

Go

1 In All

Total Price

\$8

Next

Office:

✓

Purchase Types

2

Purchase Details

3

Payment Information

4

Confirmation

Please Select People(500 Maximum At A Time)

Selected 1:

Ryan Chen

☒	Department	Email	Name	Activation Fee(\$)
☒	Technical Department	624224031@qq.com	Ryan Chen	8

<

1

>

Go to

1

Go

1 In All

Total Price

\$8

Next

4. Fill in the billing information.



✓

Purchase Types

✓

Purchase Details

3

Payment Information

4

Confirmation

Billing Information

Company/Family

ATTN

Address

TEL

Fax

Akuox

Ryan Chen

xiamen
361006 Xiamen
United States

11222333

adfd

Your Order

Email	Name	Activation Fee(\$)
ryan.chen@akuvo.com	Ryan	2

Total Price

\$2

☒

By clicking the 'Pay' button, you are agreeing to our [Terms and Conditions](#).

Pay

5. Select the **Payment method** and continue the steps until the service is paid.


- **Forming Information Description**

No.	Field Name	Description
1	Company/Family	Fill in the installer company.
2	ATTN	Enter the name of Installer.
3	Address	Enter the address of the installer.
4	TEL	Enter the telephone number of the installer.
5	Fax	Enter the Fax number of the installer.

11.2. Renew End User Account

1. Go to **Subscription** module.

2. Click on .



3. Select the end user account you want to activate.

- Select the community user account you want to activate for the SmartPlus service.
- Select the office user account you want to activate for the SmartPlus service.

Community:



Project Device

Personal Device

User

Firmware

MAC Library

Subscriptions

Payments

Setting

1

Purchase Types

2

Purchase Details

3

Payment Information

4

Confirmation

Please Select Apartments(500 Maximum At A Time)

Selected 1: 403

	Building	APT	Email	Name	Activation Fee(\$)
☒	Building1	403	--	Ryan Chen	8

<1>

Go to1Go

1 In All

Total Price\$8

Next

Office:

1

Purchase Types

2

Purchase Details

3

Payment Information

4

Confirmation

Please Select People(500 Maximum At A Time)

Selected 1: Ryan Chen

	Department	Email	Name	Activation Fee(\$)
☒	Technical Department	624224031@qq.com	Ryan Chen	8

<1>

Go to1Go

1 In All

Total Price\$8

Next

4. Fill in the billing information.

Community:



✓

Purchase Types

✓

Purchase Details

3

Payment Information

4

Confirmation

Billing Information

Company/Family

ATTN

Address

TEL

Fax

Akuox

Ryan Chen

xiamen
361006 Xiamen
United States

11222333

adfd

Your Order

Email	Name	Activation Fee(\$)
ryan.chen@akuvo.com	Ryan	2


Total Price

\$2

☒ By clicking the 'Pay' button, you are agreeing to our [Terms and Conditions](#).

Pay

5. Click



to fill in billing information.

Billing Information



* Company/Family

* ATTN

* Address

* TEL

Fax

* Email

6. Tick the check box to agree on the terms and conditions, and click **Pay**.

7. Select the **Payment method** and continue the steps until the service is paid.





Pending Order

Transaction Type: Renew Monthly Rental Fee
Transaction Number: 4163878625467585
Total Price: \$2

Should Pay: **\$2**

Coupon

☒ Don't Use Coupon

All Fee
q1M6T384FT2r6796
2021-12-02 14:33:52 -
2022-12-31 00:00:00

\$9992

Exchange Coupon

Coupon Pay: **\$0**

Payment method

☒ stripe

☐ PayPal

Amount Paid **\$2**

Pay


Note:

- Akuvox SmartPlus can be paid by **Stripe** and **Paypal**.

You can also pay for the service using a coupon if you have a coupon. Coupons can be used for renewing or activating the service.



1. Tick checkbox of the coupon



, then click on **Pay**.



Pending Order

Transaction Type: Activation Fee

Transaction Number: 4163878393062249

Total Price: \$8

Should Pay: \$8

Coupon

Don't Use Coupon

All Fee

q1M67384T26796
2021-12-02 14:33:52 -
2022-12-31 00:00:00

\$10000

Exchange Coupon

Payment method

stripe

Other payment method

Coupon Pay: \$8

Amount Paid \$0

Pay

2. Click **Download Invoice File** to download the invoice if needed.

Purchase Types

Purchase Details

Payment Information

Confirmation



Payment Successful

[Download Invoice File](#)

You can download the invoice from the payment interface.

12. Transaction History

Payments module allows you to search, check and delete the transaction history following the user account activation and renewal. You can also download the invoice if needed.

12.1. Check and Transaction History

After the payment is made, you can check the details of the transaction for community users and office users if needed.

1. In the **Payments** module, check the transactions by the service type, status, or number.

Type

All

Status

All

Order Number

Search

Order Number	Type	The number of apartments	Total Price	Status	Created Time	Action
51164627479890718	Activation	1	\$0	Succeed	2022-03-03 15:33:18	

Lines per page

10

<

1

>

Go to

1

Go

1 In All

2. Click on **Info** of the transaction you want to check and download the invoice if needed.

Order Number

51164627479890718

Download Invoice File

Created Time

2022-03-03 15:33:18

Status

Succeed

Type

Activation

Payer

RyanChen

Stripe Info

Stripe Order

Coupon Info

Coupon Number

q1M67384fT2r6796

Coupon Usage Amount

8

1 Household(s)

Total Price : \$8

Final Price : \$0

403

\$ 8


3. Delete the specific transaction order if needed.

• Search Description



No.	Field Name	Description
1	Order Number	Shows the order of each transaction.
2	Type	Shows the transaction types: Activation, Subscription, Additional app
3	The number of Apartments	Shows the numbers of apartments involved in one order.
4	Total Price	Shows the total cost of each transaction
5	Status	Seven types of status: All, Succeed, Processing, Failed, Time out, Cancel, System Processing. 1. Succeed: is for the order that is paid. 2. Processing: is for the order that is created but not paid yet. 3. Failed: is for the order that is not paid successfully. 4. Time out is for the order that is not paid in time before reaching the timeout. 5. Cancel: is for the order that is canceled. 6. System Processing: is for the order is being processed by the system after the payment is made. 7. All: is for all the above types.
6	Created Time	Shows the time when the order is created



7	Action	Click on ⓘ to check for details. Click 💰 pay for the order that is ready for payment. Click 📄 to go to billing system. Click on  to delete orders.
---	--------	---

13. Customer Service Contact Management

Customer service on the SmartPlus web interface involves installer contact information management and technical support service information.

13.1. Modify Customer Service Contact

You can create and modify your contact information so that customers can be in contact with your whenever they need it.

1. Click on your installer account.
2. 📖 on **Customer Service** and fill in your phone number and email.



Akuvox

Dashboard

Resident and De...

Firmware

Update

MAC Library

Subscriptions

Role:Community Manager

Community1

RyanChen

Log out

Status

All

Version

Search

Version	Device	Status	Upgrade Time	Created	Action
No Data					

Lines per page

10

<

1

>

Go to

1

Go

0

In All

Coupon Details

Change Password

Time Zone

Billing Information

Customer Service

3. Modify the information if needed.

Customer Service

* Phone

Residents can contact you through this phone number

* Email

Residents can contact you through this email address

Cancel

Submit

13.2. Technical Support&Service

Support&Service module offers you the link to the Akuvox ticket system in which you can not only get access to varieties of technical information such as feature guides, FAQ, etc. but also log in to the system where you can raise your questions that will be taken care of by Akuvox technical support team.


- 1. Click on **Support&Service** Module.
- 2. Click on **Document** sub-module.
- 3. Click on the documents to download.

Download SmartPlus User Guide

- 1.  on **Support&Service** Module.




2. Click on **Document** sub-module.
3. Click on the documents to download.




13.2.2. Ticket System

1. Click on **Ticket** sub-module.
2. Sign up and log in to the Akuvox ticket system for technical information and support.
3. Click on **CAP** sub-module for information about how to become a certified Akuvox partner.



13.2.3. CAP System

- 1. Click on **CAP** sub-module for information about how to become a certified Akuvox Partner.
- 2. Sign up and log in to the Akuvox CAP system for sales and technical information and support.




14. Installer Account Management

You can change roles between single tenant and project manager, change passwords, time zone and billing information.

14.1. Change Installer Account Password

- 1. Click on your account name.
- 2. Click on **Change Password**.



- 3.  ge the password.

Change Password



①

Step 1

②

Step 2

③

Success

* Original Password

Cancel

Next

14.2. Change Installer Time Zone

I. Click on your account name and change your time zone.

Time Zone



Time Zone

GMT+12:00 McMurdo



Cancel

Submit

14.3. Billing Information

You are required to fill in your billing information so that your distributor will be able to send you the bill according to the information you filled in.

I. Click on your account name and fill in your billing information.



Community

Office

5 Community(ies)



+ New Community

Download The Template

Name	Device Count	End User Count	Property Managers	
Community1	0	0	inn lian	   
Akurvox-	0	0	inn lian	   
New_Com	0	0	--	   
Community-C	0	0	--	   
Ryan	2	2	Ryan Chen	   

Coupon Details

Change Password

Time Zone

Billing Information

Customer Service



Billing Information



* Company/Family

* ATTN

* Address

* TEL

Fax

* Email

Cancel

Submit

15. Contact Us

For more information about the product, please visit us at www.akuvox.com (<http://www.akuvox.com/>) or feel free to contact us by

Sales email: sales@akuvox.com

Technical support email: support@akuvox.com

Telephone: +86-592-2133061 ext.7694/8162

We highly appreciate your feedback about our products.



Previous
Akuvox SmartPlus App User Guide V1.0



Akuvox V6.3 SmartPlus User Guide - Single Tenant Management

